

Customer Order no. Customer no. Dealer	<h2 style="margin: 0;">ORDER SHEET</h2> <h3 style="margin: 0;">WERRA-PERFECT MANHOLE</h3> <p style="margin: 0;">Manhole construction components made of concrete in accordance with DIN EN 1917 and DIN V 4034 type 2 with circular cross-section - manhole bases - SUM</p> <input type="checkbox"/> with seal at the spigot <input type="checkbox"/> seal built into the bush	Construction project	wbw Werra-Baustoffwerk Themar GmbH Schleifmühlenweg 10 D-98660 Themar Germany Phone: +49 36873 26 230 Fax: +49 36873 26 209 or +49 36873 26 280
---	---	--	--

Manhole no.	Quant. pieces	Manhole			Outflow A ₀			Inflow + additionally inflows				Angle of A ₀ degree or gon	Date of delivery desired	Remarks
		DN mm	H mm	h mm	DN mm	Pipe slope %	Pipe type	DN mm	Pipe slope %	Base slope %	Pipe type			

Banquette/berm channel
Concrete channel and berm, hardened in the formwork Connection: at crown height, slope: 1 %

Exterior painting:

Stirrup:

Date	
Name of the contact person	
Phone	
Fax	
Signature	

- Pipe type / integration construction material**
- B Concrete pipe
 - SB Reinforced concrete pipe
 - KG KG/PVC pipe (please specify load class, e.g. SN8)
 - SKN Stoneware normal load
 - SKH Stoneware high load
 - SL Stoneware with lip seal
 - GGG Cast iron pipe in accordance with DIN 19690, 1961 and 2614
 - SML Cast iron SML pipe
 - GFK PRFG pipe

- H From lower edge (UK) outflow to top edge (OK) cover panel
- h Height bottom outflow to top edge (OK) spigot

